

For more information about Hoosier Riverwatch, a schedule of upcoming workshops, or to receive the *Riffles & Pools* newsletter, please contact us!

**HOOSIER RIVERWATCH**  
**Natural Resources Education Center**  
**Fort Harrison State Park**  
**5785 Glenn Road**  
**Indianapolis, IN 46216-1066**

*Phone:* **(317) 541-0617**    *Fax:* **(317) 562-0790**

**Lyn Crighton - Statewide Coordinator**

*E-mail:* **riverwatch@dnr.state.in.us**

**Jan Hosier - Volunteer/Outreach Coordinator**

*E-mail:* **riverinfo@dnr.state.in.us**

Hoosier Riverwatch maintains two websites. Please visit our homepage to obtain answers to your questions, download publications, check our training schedule, and find links:

**[www.Riverwatch.in.gov](http://www.Riverwatch.in.gov)**

Riverwatch operates Indiana's statewide volunteer stream monitoring database online at  
**[www.HoosierRiverwatch.com](http://www.HoosierRiverwatch.com)**

Signup for one or both our listservs to receive periodic updates and tips on methods, upcoming conferences & workshops, and grant opportunities.

**<http://lists.in.gov/mailman/listinfo/dnr-hrw-all>**    *(For all volunteers & teachers)*

**<http://lists.in.gov/mailman/listinfo/dnr-hrw-teachers>**    *(Info just for educators)*

The third and fourth editions of this manual were revised by

Lyn (Hartman) Crighton and Jan Hosier in 2003 and 2004.

The second edition was written by Lyn Hartman and Mandy Burk in 2000.

The first edition was written by Sarah Hippensteel and edited by Gwen White in 1997.

The beautiful large-scale graphics were created by Sarah Beth Lauterbach, unless otherwise indicated. All parts of this publication may be copied and distributed for educational use and free distribution with proper credit provided to Hoosier Riverwatch.



Hoosier Riverwatch is a program of the Indiana Department of Natural Resources - Division of Soil Conservation and Division of Fish & Wildlife in partnership with Purdue University Agronomy Extension. Funding is provided, in part, by the federal Sport Fish Restoration program.

**EQUAL OPPORTUNITY EMPLOYER**

Under Title VI of the 1964 Civil Rights Act, Section 504 of the Rehabilitation Act of 1973, the Age Discrimination Act of 1975, Title IX of the Education Amendments of 1972, the U.S. Government prohibits discrimination on the basis of race, color, national origin, age, sex, or handicap. If you believe that you have been discriminated against in any program, activity, or facility as described above, or if you desire further information please write to: Department of Natural Resources, Executive Office, 402 W. Washington St., Rm W256, Indianapolis, IN 46204, (317) 232-4020.

# *Table of Contents*

---

<b>Chapter 1</b>	<b>Welcome to Riverwatch</b>	
	How Do Volunteers Get Started?	1
	Water Quality Monitoring	3
	Safety	4
<b>Chapter 2</b>	<b>Designing a Water Study</b>	
	Identifying Your Watershed	7
	Watershed Inventory & Setting Goals	14
	Planning a Water Study	16
	Quality Assurance and Quality Control	17
<b>Chapter 3</b>	<b>Habitat Assessment</b>	
	What is a Healthy Stream Habitat?	19
	Citizens Qualitative Habitat Evaluation Index (CQHEI)	21
	Site Map and Stream Flow	25
<b>Chapter 4</b>	<b>Chemical Monitoring</b>	
	Introduction & Hints for Performing Tests	29
	Chemical Testing Instructions	35
	Chemical Work Sheet & Data Sheet (Water Quality Index)	58
<b>Chapter 5</b>	<b>Biological Monitoring</b>	62
	Sampling Methods	64
	Freshwater Mussels & Aquatic Invasive Species	69
	Macroinvertebrate Identification Keys	71
	Biological Monitoring Data Sheet (Pollution Tolerance Index)	91
	Multimetric Index and Diversity Index	93
<b>Chapter 6</b>	<b>Data - What's Next?</b>	
	Data Analysis, Action & Evaluation	97
	Graphing Your Data - Tips and Examples	98
	Habitat Parameters for Selected Macroinvertebrates	101
	Watershed Analysis Posters	102
<b>Chapter 7</b>	<b>Data Reporting</b>	
	Volunteer Stream Monitoring Internet Database	107
	Volunteer & Organization Registration	108
	Stream Site Registration	110
	Database Recordkeeping Form	112
<b>Appendices</b>	<b>A Monitoring Equipment</b>	<b>E Glossary</b>
	<b>B Adult Bugs Key</b>	<b>F Suggested Reading</b>
	<b>C What Can You Do...</b>	<b>G References</b>
	<b>D Ranges, Avgs, Q-values</b>	<b>H Extra Data Sheets</b>

# Acknowledgments

---

The Hoosier Riverwatch *Volunteer Stream Monitoring Training Manual* was constructed, updated, and improved with the contributions and suggestions of the following people and organizations through the years. Our apologies to anyone who has been inadvertently left off this list. Our sincere thanks to all!

## Indiana Department of Natural Resources

Division of Entomology  
Division of Fish and Wildlife  
Division of Outdoor Recreation  
Division of Soil Conservation  
Deb Fairhurst  
Kim Guinnup  
Deborah Messenger  
Jim Ray  
Gwen White  
Bob Waltz

Stephanie Ayres  
Ian Crighton  
Claudia Denton  
Sarah Engle  
Jim Gammon  
Art Henerlong  
William W. Jones  
Meg Larson  
Stewart Lewis  
Patrick McCafferty  
Arwin Provonsha  
Ed Rankin  
Stacy Renfro  
John Rouch  
Robert Vertrees  
Bob Williams

## Indiana Department of Environmental Management

### Office of Water Management

Rhonda Dufour	Jody Arthur
Steve Hall	Chuck Bell
Carol Newhouse	Dennis Clark
Steve Newhouse	Sam Gibson
Stacey Sobat	Larry McFall

## Past Hoosier Riverwatch Coordinators

Jason Bowling	Jeff Muse
Sarah Hippensteel	Mandy Burk

All Indiana Soil and Water Conservation Districts  
All Hoosier Riverwatch Volunteer Water Monitoring Instructors  
Clinton River (Michigan) Watershed Council  
GLOBE Program  
Earth Force / Global Rivers Environmental Education Network (GREEN)  
Hach Company  
Illinois Department of Natural Resources  
IOWATER/Iowa Department of Natural Resources  
Kentucky Water Watch  
LaMotte Company  
Ohio Department of Natural Resources  
Ohio Environmental Protection Agency  
Tennessee Valley Authority  
Student Watershed Research Project/Saturday Academy of Oregon  
US Environmental Protection Agency

Hoosier Riverwatch acknowledges the US Environmental Protecting Agency and the Indiana Department of Environmental Management for partial funding of the program in past years through Sections 104(b)(3) and 319 of the Clean Water Act.

# Welcome to Hoosier Riverwatch

Hoosier Riverwatch is a state-sponsored water quality monitoring initiative. The program was started in Indiana to increase public awareness of water quality issues and concerns by training volunteers to monitor stream water quality. Hoosier Riverwatch collaborates with agencies and volunteers to:

- ◆ Increase public involvement in water quality issues through hands-on training of volunteers in stream monitoring and cleanup activities.
- ◆ Educate local communities about the relationship between land use and water quality.
- ◆ Provide water quality information to citizens and governmental agencies working to protect Indiana's rivers and streams.

Hoosier Riverwatch will assist you and your organization in understanding the importance of protecting local streams. Voluntary participation is the key to the success of the statewide stream monitoring and education program. This manual provides information to help you begin a successful water quality monitoring program.

The first two chapters cover safety considerations, developing a study design, and background information on water quality and watersheds. Each of the next three chapters explains in detail how to perform habitat, chemical, and biological monitoring. The final two chapters relate to data analysis, action, and reporting. The Appendices provide numerous resources, including information on equipment, books, and websites. The final Appendix section is entitled "Copy Pages" - it includes blank copies of all the data sheets.

## How do Volunteers Get Started?

### Training Workshops

To start a successful local Hoosier Riverwatch program, you should attend a training workshop and thoroughly read this manual. Training Workshops are held around the state (generally from May-October), are free and open to the public, and provide hands-on monitoring experience. Certified volunteers may submit data to the Riverwatch online database [[www.HoosierRiverwatch.com](http://www.HoosierRiverwatch.com)]. Contact us or check our website [[www.Riverwatch.in.gov](http://www.Riverwatch.in.gov)] for an updated training schedule.

**Volunteer Stream Monitoring Training** - introduces citizens and educators to water quality monitoring utilizing physical, chemical, and biological assessment methods. Riverwatch training workshops are free and are open to any interested adult. The sessions are about 7 hours in length and provide hands-on experience in volunteer stream monitoring methods. After completion of this training, participants become "Certified Volunteer Monitors." Riverwatch volunteers are able to perform stream testing, submit data to the statewide volunteer stream monitoring database, and teach students how to monitor.

**Volunteer Instructor Training** - requires water monitoring experience, submission of an application, and acceptance into the program. Volunteer Water Monitoring Instructors conduct Hoosier Riverwatch training workshops and serve as local contacts for other volunteer monitors.

## Equipment Application Program

Hoosier Riverwatch has awarded water monitoring equipment to volunteer groups since 1996. Equipment recipients form the foundation of the Hoosier Riverwatch volunteer stream monitoring network. These volunteers agree to monitor their selected stream or river segments at least four times per year for two years, and must attend a Riverwatch training workshop. Any school, nonprofit organization, or governmental agency in Indiana is eligible to apply. Contact Hoosier Riverwatch for this year's guidelines and application procedures. Two different equipment packages are offered:

- ✓ **Chemical Monitoring Equipment**

This package provides simple chemical testing methods suitable for adults with no previous experience, as well as students from the elementary through college level. This package provides tests for dissolved oxygen, BOD, temperature, phosphate, nitrate, nitrite, pH and turbidity.

- ✓ **Biological Monitoring Equipment**

This package includes equipment necessary to sample a shallow (wadeable) stream or river site for benthic macroinvertebrates – aquatic organisms living in the streambed. Supplies provided include sampling nets and identification keys. If your site is too deep for this type of monitoring, you do not need this equipment.

- ✓ **Both the Chemical Testing and Biological Monitoring Equipment Packages**

[Note: Prior to 2004, the methods utilized by the Riverwatch program were different than those now provided by the Equipment Application Program. Supplemental instructions for these previously-used kits (GREEN Standard Water Monitoring Kit and the HACH Stream Survey kit) are provided online at [www.Riverwatch.in.gov](http://www.Riverwatch.in.gov) and may be downloaded as Adobe Acrobat files.]

## Citizen/Individual Volunteer Participation

Although **individuals** can not receive equipment through the application program (because equipment packages are only awarded to organizations), you can still participate in the program! Volunteer stream monitoring equipment is available through 20 Riverwatch loaner sites established throughout the state. In addition, many county Soil and Water Conservation Districts (SWCDs) have equipment available to loan to certified Riverwatch monitors. See Appendix A- Monitoring Equipment - for a map of loaner sites, and information on purchasing or making your own sampling equipment.

## Organizing Your Group

To get a "Riverwatchers" group started in your area, begin by contacting existing organizations already involved with stream or lake activities. A successful Hoosier Riverwatch group can use the support of a well-organized and like-minded constituency. Some individuals and/or organizations that you may want to contact for support include: citizen and civic groups, local government officials, lake associations, university specialists, community health officials, water utilities, canoe or fishing clubs, and county Soil and Water Conservation Districts. Contact Riverwatch to learn who is monitoring in your community.

# Water Quality Monitoring

## Trend Monitoring

Trend monitoring is the primary testing method preferred by Hoosier Riverwatch. To get an accurate picture of a stream's water quality, tests have to be performed on a regular basis (consistently), over a period of years (persistently). Without long-term continued monitoring, data obtained by Riverwatch volunteers may have limited uses. A random, one-time sample provides a limited picture of water quality and overall health of an water body at the particular site and time it was monitored.

Many things can affect a one-time sample, and weather can be the largest single outside influence on many water quality parameters. Trend monitoring provides a broad view of the stream allowing the seasonal variations to be sorted out from long-term changes. In order to obtain data useful for trend analysis, volunteers should consider the long-term commitment involved in this type of monitoring.

## Water Quality Monitoring Parameters


Water quality is determined by a variety of factors (See Figure 1). But due to time and resource constraints, Hoosier Riverwatch volunteers only monitor a fraction of the possible parameters.

**Habitat** - land use, substrate, flow, depth, riparian vegetation, stream shape, erosion

**Chemical** - dissolved oxygen, *E. coli*, nitrate, turbidity, phosphate, pH, BOD, temperature change

**Biological** - benthic macroinvertebrates

Figure 1



## **Safety**



**Safety is the critical first step in any volunteer stream monitoring program. All volunteers should read the following safety precautions prior to beginning any monitoring activities.**

- ✓ **Take a buddy along!** Always monitor with at least one partner. Always let someone else know where you are, when you intend to return, and what to do if you do not return on time.
- ✓ **Honor private property rights.** Never cross a landowner's property without permission.
- ✓ **Never wade in swift or high water.** Do not wade if depth is greater than knee-deep. Do not monitor if the stream is at flood stage. Any stream is dangerous in times of flooding. If you have a potential drowning situation, remember the lifeguarding tenant: **Reach, Throw, Go!** First, try to reach him/her with a pole, net, branch, or yardstick. Then, throw something (life preserver) that floats or that is tied with a rope and will enable you to pull him/her into shore. You should only attempt a swimming rescue as a last resort. A drowning person can panic and pull you under, too.
- ✓ **Never drink the water in a stream.** Bring water from home to drink. Wash with antibacterial soap and be wary when eating and drinking if your hands have been in contact with stream water.
- ✓ **Beware of polluted streams that are known to be unsafe for handling.** Check with your County Health Department or the Indiana Department of Environmental Management for information on bacterial and/or toxic contamination of local waterways. As a rule, treat every stream as if it were polluted - wear waders, rubber gloves, and protective eyewear.
- ✓ **Have a first aid kit on hand** (page 5). At least one team member should have first aid/CPR training.
- ✓ **Develop a safety plan.** Find out the location and telephone number of the nearest telephone and write it down. Locate the nearest medical center and write down directions for traveling there. Have each volunteer monitor complete a medical form that includes emergency contacts, insurance information, and pertinent health information such as allergies, diabetes, epilepsy, etc.
- ✓ **Listen to weather reports.** Never monitor if severe weather is predicted or if a storm occurs.
- ✓ **Be very careful when walking in the stream.** Wear shoes that are in good condition and have traction. Rocky-bottom streams can be very slippery and may contain deep pools. Muddy-bottom streams may also prove dangerous where mud, silt, and sand have accumulated in sinkholes. If you must cross the stream, use a walking stick to steady yourself. Watch for barbed wire fences or sharp, rusty objects (e.g., car bodies, appliances) that may pose a particular hazard.
- ✓ **Do not walk on unstable stream banks.** Disturbing these banks—including the vegetation growing upon them—can accelerate erosion and lead to a collapse.
- ✓ **Beware of animals.** Watch for irate dogs, farm animals, wildlife (e.g., snakes), and insects such as ticks, mosquitoes, and hornets. Know what to do if you are bitten or stung.
- ✓ **Beware of plants.** Watch for poison ivy, sumac, and other skin-irritating vegetation.
- ✓ **If you drive, park in a safe location.** Be sure your car doesn't pose a hazard to other drivers and that you are not trespassing. If you are sampling from a bridge, take special precautions. Watch out for passing traffic and never lean over the bridge unless you are firmly anchored.

# Chemical Safety

The chemical reagents supplied in the testing kits are laboratory grade reagents. Some of the chemicals are concentrated, some are irritating, some are poisonous and some will just make you itch. Please read thoroughly the directions and the Materials Safety Data Sheets (MSDS) provided with each kit. The reagents provided in the CHEMetrics kits are mild skin and eye irritants.

- ✓ **Wear safety goggles and rubber gloves.** Avoid contact between chemical reagents and your skin, eyes, nose, and mouth. Never use your fingers to stopper a bottle when shaking a solution.
- ✓ **Do not mix chemicals indiscriminately.** Use only the designated chemicals in specified amounts when performing tests.
- ✓ **Provide wash water** at the monitoring site to wash any chemicals from the eyes or the body.
- ✓ **Know chemical clean-up, disposal, and first aid procedures.** Wipe up all spills when they occur. Use sealed plastic containers filled with an absorbent material (e.g., kitty litter) to store waste before disposal. If accidental consumption of chemical reagents occurs, have your MSDS on hand and contact your local poison control office or one of the following:

## **Phone numbers for EMERGENCY only:**

Indiana Poison Control Center	1-800-382-9097
Rocky Mountain Poison Center	1-800-623-5716

- ✓ **A first aid kit may not be enough.** In addition, carry such safety equipment as life buoys, life jackets, river rescue throw bag, a flashlight, a whistle, and **insect repellent**.

## **First Aid Kit**

### **Your first aid kit should contain the following items (at a minimum):**

- ☐ Telephone numbers of emergency personnel
- ☐ Several Band-Aids for minor cuts
- ☐ Antibacterial soap or alcohol wipes
- ☐ First aid cream or ointment
- ☐ Several gauze pads 3-4" square for deep wounds with excessive bleeding
- ☐ Aspirin or other pain reliever/fever reducer
- ☐ A needle and tweezers for removing splinters
- ☐ A first aid manual that outlines diagnosis and treatment procedures
- ☐ A single-edged razor blade for minor surgery and cutting tape to size
- ☐ A 2" roll of gauze and a triangular bandage for large wounds
- ☐ A large compress bandage to hold a dressing in place
- ☐ A 3" wide elastic band for sprains, applying pressure to bleeding wounds
- ☐ If a participant is sensitive to bee stings, include their doctor-prescribed antihistamine
- ☐ An eyewash to flush chemicals

These guidelines were adapted from the Environmental Protection Agency's 1997 *Volunteer Stream Monitoring Manual*.





## Chapter 2 **DESIGNING A WATER STUDY**


The first step in developing a water study design is identifying your watershed. The ability of a stream to support beneficial uses such as fishing, boating and swimming is influenced by the major land uses in the watershed, the nature of the stream channel, the diversity of instream habitats, and the character of the riparian area.

### ***Identifying Your Watershed***

The watershed is the total area of land that drains into a particular waterbody (wetland, stream, river, lake, or sea). Land uses and runoff in a watershed determine the quality of surface water in smaller streams and waterways. They can then influence the water quality of larger streams. For example, point source discharges, urban runoff, runoff from landfills and runoff from agricultural areas may contain sediments, organic material, nutrients, toxic substances, bacteria or other contaminants. When these substances are present in significant concentrations, they may interfere with some stream uses.

Approximately one percent of a watershed is stream channels. The smallest channels in a watershed have no tributaries and are called first-order streams. When two first-order streams join, they form a second-order stream. When two second-order streams join, a third order stream is formed, and so on. First and second-order channels are often small, steep or intermittent. Stream orders that are six or greater constitute large rivers (See Figure 2).

The stream channel is formed by runoff from the watershed as it flows across the surface of the ground following the path of least resistance. The shape of the channel and velocity of flow are determined by the terrain, unless changes have been made by man. When the terrain is steep, the swiftly moving water may cut a deep stream channel and keep the streambed free of sediments. In flatter areas, the stream may be shallow and meandering, with a substrate comprised largely of fine sediments.



**Figure 2**

# What is Your Watershed Address?

## Hydrologic Unit Code Areas

Knowing your "watershed address" is very important to understanding the influences on the water quality in your stream or river. Hoosier Riverwatch organizes data from volunteer stream monitors by watershed location using the map: "Indiana Watersheds: 8-Digit Hydrologic Unit Code Areas" (See Figure 4 on the next page). Delineated by the U.S. Geological Survey, hydrologic units represent the geographic boundaries of water as it flows across the landscape. But not every HUC is a "watershed" in the pure sense, since longer streams are divided along their length. As you can see on the map, each HUC has an associated 8-digit number or code. This number is representative of the size of the basin. Larger basins are represented by smaller numbers. Look at the first six numbers of two or more watersheds near each other on the map; if they are the same (e.g. Chicago, Kankakee, and Iroquois in northwest Indiana, which are 071200), then they are part of the same larger watershed. You could use colored pencils to delineate these larger watershed boundaries on this map.

Check the map on page 9 and write your watershed address here:

Watershed Name \_\_\_\_\_ Watershed # \_\_\_\_\_

Water within watersheds beginning with "04" flow into Lake Michigan or Lake Erie and are part of the Great Lakes Watershed. The "07"s flow west into the Illinois River before entering the Mississippi River. Water from the "05" watersheds flows into the Wabash or Ohio Rivers before also joining the Mississippi River and discharging into the Gulf of Mexico. The Mississippi River watershed is the largest in the United States (See Figure 3 below).


Indiana is divided into 39 watersheds at the 8-digit level. Each of these watersheds can also be divided into smaller sub-watersheds which are represented by 11-digit numbers, and even smaller units with 14-digit numbers. Your local Natural Resources Conservation Service (NRCS) office can provide you with a copy of the watersheds in your county.

## Mississippi River Watershed



**Figure 3**

### Figure 4



[www.HoosierRiverWatch.com](http://www.HoosierRiverWatch.com)

# ***Indiana's Ten Major Watersheds***

This section provides basic background information on Indiana's major watersheds. The water management drainage basins shown in Figure 5 are also a rough delineation of the "six-digit watersheds" from the 8-Digit map. These six-digit numbers are provided next to each watershed name.

The State of Indiana has a surface area of approximately 36,532 square miles. There are about 90,000 miles of rivers, streams, ditches and drainage ways in Indiana. In addition, there are approximately 35,673 miles of surface waterways in Indiana greater than one mile in length.

## **Lake Michigan Basin (040400)**

The Lake Michigan Basin includes four major waterways in Indiana: the Grand Calumet River-Indiana Harbor Ship Canal, the Little Calumet River, Trail Creek and the St. Joseph River. It drains portions of Lake, LaPorte, Porter and St. Joseph counties.

## **St. Joseph River Basin (040500)**

The St. Joseph River Basin drains 1,699 square miles in northern Indiana and 2,586 square miles in southern Michigan. The Indiana section contains a unique combination of natural lakes, wetlands, streams with well-sustained flows and extensive sand and gravel aquifer systems. It drains parts of Steuben, DeKalb, LaGrange, Noble, Elkhart, Kosciusko, and St. Joseph counties. The major tributaries of the St. Joseph River are: the Elkhart River, Pigeon River, Fawn River, North Branch Elkhart River, Turkey Creek, Little Elkhart River, Christiana Creek, and South Branch Elkhart River.


## **Kankakee River Basin (071200)**

The Kankakee River Basin drains about 3000 square miles of northern Indiana before flowing westward into Illinois and the Illinois River. It drains portions of Lake, Porter, LaPorte, St. Joseph, Marshall, Starke, Pulaski, Jasper, Newton, Benton, White and Elkhart counties. Major tributaries in Indiana include the Iroquois and Yellow Rivers. The largest cities in the watershed are LaPorte and Plymouth. Many of the present characteristics of the Kankakee Basin resulted from the geologic history of the area. Glaciers flattened the region, and moraines formed by melting ice made the basin lower than surrounding areas. Sand was deposited in this low area by the melting glacier, and much of this lowland became a gigantic marsh, which is now artificially drained. Today, most of the streams in the basin have been dredged and straightened. Most of the streamflow is made up of groundwater, providing a relatively constant discharge of cool water throughout the year.

## **Wabash River Basin (051201)**

The Wabash River Basin is the largest designated drainage basin and is divided into upper, middle, and lower portions. The Basin drains approximately 33,000 square miles of Illinois, Indiana, and Ohio. The greatest portion of the basin is in Indiana where it drains two-thirds of the state. The Upper Basin drains portions of Kosciusko, Noble, Whitley, Allen, Wells, Wabash, Huntington, Grant, Blackford, Jay, Randolph, Delaware, Fulton, Marshall, Miami, Pulaski, Howard, Cass, Tipton, Clinton, Tippecanoe, White, Carroll, and Starke counties. The Middle Basin drains portions of Benton, White, Tippecanoe, Clinton, Boone, Montgomery, Warren, Fountain, Putnam, Parke, Vermillion, Vigo, and Clay counties. The Lower Basin drains portions of Vigo, Clay, Sullivan, Greene, and Knox counties.

## **Maumee River Basin (041000)**



**Figure 5**



The Maumee River Basin is located in northeastern Indiana and drains portions of Adams, Allen, DeKalb, Noble, Steuben and Wells counties. The Maumee River drainage area within Indiana is approximately 1,283 square miles. The Basin is comprised of three major rivers: the St. Joseph, the St. Mary's and the Maumee. The Maumee River originates in Fort Wayne at the confluence of the St. Joseph and St. Mary's Rivers. It then flows east into Ohio where it crosses the northern portion of the state toward Toledo and empties into Lake Erie.

### **West Fork of the White River Basin (051202)**

The West Fork of the White River begins near Winchester in Randolph county, Indiana and flows through 11 counties where it is joined by the East Fork of the White River near Petersburg. It drains portions of Randolph, Henry, Delaware, Madison, Hancock, Brown, Monroe, Owen, Greene, Martin, Daviess, Knox, Clay, Pike, Gibson, Clinton, Vigo, Tipton, Boone, Hendricks, Putnam, Morgan, Johnson, Hamilton, Marion, and Sullivan counties. The main stem of the White River then flows about 48 miles and joins the Wabash River. In total, the West Fork flows about 356 river miles and drains 5,600 square miles of land in Indiana.

### **East Fork of the White River Basin (051202)**

The East Fork of the White River Basin drains approximately 5,600 square miles of Southern Indiana. Sugar Creek, Big Blue River, Driftwood River, Flatrock River, Muscatatuck River, and Salt Creek are the river's major tributaries. The basin drains portions of Henry, Hancock, Rush, Fayette, Shelby, Johnson, Brown, Bartholomew, Decatur, Jennings, Ripley, Jefferson, Scott, Washington, Orange, Jackson, Lawrence, Martin, Daviess, Dubois, Pike, Brown, Monroe, Greene, and Marion counties. The largest cities in the watershed are Columbus, Seymour, Bloomington, New Castle, Shelbyville, and Bedford. The topography of this basin ranges from flat to rugged as it crosses seven of Indiana's eight physiographic regions. The basin also includes unique underground streams in the karst region of Orange and Lawrence counties. The groundwater contribution to stream flow in the basin is low, so flow depends largely on rainfall and variations can be considerable. Compared to several other basins, stream channelization projects in the East Fork of the White River have been minimal.

### **Whitewater River Basin (050800)**

The Whitewater River Basin drains 1,403 square miles in Indiana. It begins in Randolph county where it flows south through Connersville and then takes a southeasterly course into Ohio and empties in the Ohio River. It drains parts of Wayne, Fayette, Union, Franklin, Randolph, Henry, Rush, Decatur, and Ripley counties.

### **Patoka River Basin (051202)**

The Patoka River Basin drains 862 square miles within a long, narrow basin in southwestern Indiana. The basin is approximately 12 to 16 miles wide throughout most of its 78 mile length. The Patoka River begins in the Patoka Reservoir which lies in parts of Dubois and Crawford counties, but mainly Orange county. The river flows through Dubois, Pike and Gibson counties and empties into the Wabash River.

### **Ohio River Basin (051401, 051402, 050902)**

The Ohio River and its Indiana tributaries (excluding the Wabash River) drain approximately 5,800 square miles in Indiana. The major Indiana tributaries in the basin are: the Whitewater River, Blue River, Little Blue River, Anderson River, Laughery Creek, Big Indian Creek, and Pigeon Creek. The basin drains portions of Dubois, Posey, Vanderburgh, Warrick, Spencer, Perry, Dearborn, Ripley, Decatur, Franklin, Ohio, Switzerland, Jefferson, Clark, Floyd, Harrison, Scott, Washington, Orange, Crawford, and Gibson counties.

## What is Water Pollution and Where Does it Come From?

Many volunteers monitor because they are concerned about pollution. Volunteer monitors check for current pollution and develop a baseline to gauge future pollution. Water pollution can typically be placed in one of two categories: point or nonpoint source pollution. Point source pollution is easy to identify because it is discharged from the end of a pipe. It accounts for about 25% of all water pollution. Point sources are regulated with permits by the Indiana Department of Environmental Management.

Nonpoint source pollution originates primarily from runoff and is more difficult to identify. It is a product of land use throughout the entire watershed, and makes up about 75% of water pollution. Different types of pollution are described below and shown in Figure 6.




Figure 6

Point sources are indicated by a "P"; nonpoint sources are "NP."


1. **Organic Pollution** - decomposition of once-living plant and animal materials
2. **Inorganic Pollution** - suspended and dissolved solids (e.g. silt, salt, minerals)
3. **Toxic Pollution** - heavy metals and lethal organic compounds (e.g. iron, mercury, lead, PCB's) - some of these are transferred via the atmosphere and air deposition
4. **Thermal Pollution** - heated water from runoff (e.g. streets, parking lots) or point source discharges (e.g. industries, nuclear or other power plant discharges)
5. **Biological Pollution** - introduction of non-native species (e.g. zebra mussels, purple loosestrife, Eurasian Water Milfoil)


## # 1 Source of Water Pollution by Volume to Indiana Streams and Rivers is **Sediment!**

Soil erosion and sediment as a result of poor construction, logging, landscaping, and agricultural practices, as well as eroding stream banks, cause many physical changes in streams that lead to decreased water quality.

Physical Changes in Streams Affected by Sediment	Resulting Direct and Indirect Effects on Aquatic Organisms
Heat is absorbed resulting in increased water temperature	Metabolic rates of organisms increases → wasted energy not available for growth and reproduction
Water clarity is decreased → turbidity is increased Increased siltation and embeddedness on stream bottom (Figure 7)	Reduction in visual feeding and visual mating Clogging of gills during breathing and feeding Smothering of nests and eggs Change in habitat, and filling of crevices in bottom gravel
Excess organic debris is carried with soil → may result in increased biochemical oxygen demand and decreased dissolved oxygen	Oxygen sensitive species are detrimentally affected pH is reduced (water becomes more acidic) resulting in: Phosphorus becoming more available Ammonia becoming more toxic More leaching of heavy metals
Excess phosphorus is attached to soil particles and is carried into streams	Phosphorus acts as a 'fertilizer' Algal growth increases → higher daytime dissolved oxygen & lower nighttime dissolved oxygen Can upset normal feeding on the aquatic food chain
Heavy metals may be leached from soil → increased toxicity	Developmental deformities Behavioral changes in feeding, mate attraction and activity, and parental care

## EMBEDDEDNESS Figure 7

( is the stream bottom six feet under  ? )





# Watershed Inventory

Information in this section is reprinted and modified from *Hudson Basin River Watch Manual*, Ohio EPA Explore Your Stream (EYS), and the *IOWATER Program Handbook*.

We know where water pollution might originate, now it's time to take a look around your watershed and discover the potential pollution sources there. The purpose of a watershed inventory is to learn about the current uses, values, and threats to the water resources in your watershed. In general, there are two ways to gather information:

**Research:** Use maps and aerial photos; Get copies of existing reports; Find out the designated uses; Identify your river's special attributes and threats to these uses and values; Survey people; Know what municipalities govern your watershed.

**Field Inventory:** No matter how much information you discover through your research, the best way to know what's really going on is to get out into the field. You can perform a driving survey or "windshield tour" and also get out of your vehicle and take a look around (respecting private property rights, of course)! What should you be looking for? ANYTHING that may affect your stream.

## Land Uses

- ☐ **Agricultural Crops/Fields** - Using conservation buffers? (See page C-2 for more info.)
- ☐ **Pasture/Livestock** - Manure management system? Is waterway protected with fences?
- ☐ **Logging** - Are there clear-cuts (all trees) or selective cuts of individual trees? Are Best Management Practices in place? (See page C-2 for more info.)
- ☐ **Mining** - What kind: surface, underground, quarry? Is it active, abandoned, reclaimed?
- ☐ **Waste Disposal** - Landfills, home septic systems, sewers, pet waste
- ☐ **Construction Areas:** Homes/buildings, roads, bridges - Are Best Management Practices in place?
- ☐ **Residential/Suburban** - Storm drains, lawns, commercial businesses (malls/strip malls, retail shops, car wash, gas stations, restaurants)
- ☐ **Urban** - Drinking water/waste water treatment facilities, factories, power plants
- ☐ **Recreation Areas** (Zoo, forests, nature preserves, parks, greenways, campgrounds, golf courses, hiking and horseback trails, swimming areas, fishing areas, power boating)

This list is just a few things to look for and is not a complete list. It's meant to start you "down the road" considering what is in your own watershed and what may impact your water quality as you begin your water study. The information collected during your watershed inventory is for your use only - but it is strongly recommended that you consider doing it at the beginning of your monitoring!

## Instream Conditions

- ☐ **Litter/Garbage** - small litter, piles of trash, illegal dump, appliances
- ☐ **Algae** - floating, attached, color
- ☐ **Water Color** - clear, muddy, milky, tea-colored, red, gray, green, black
- ☐ **Water Appearance** - oily sheen, lots of foam/bubbles, scum
- ☐ **Water Odor** - sewage, petroleum (gas), rotten eggs, fishy, chlorine, soapy
- ☐ **Discharge Pipes** - field tiles, storm drain, industry, municipal wastewater, sewer, other

# Setting Goals

A very important step in designing a water study involves identifying your reasons for monitoring water quality. Deciding on your study goals will help streamline the process of designing your study and will help ensure a successful outcome. To determine your goals, ask yourself and the members of your group: **Why are we undertaking this project and what do we hope to accomplish?**

Initially, your goals may be relatively simple and straightforward:

- Is the water safe for recreational activities (swimming, wading or boating)?

But over time, the knowledge you gain may prompt you to ask bigger questions and may even prompt you to take action in your watershed:

- Is the stream ecosystem being impacted by a pollution source? What are the sources of pollution?
- How can we decrease or eliminate one or more sources of pollution and thereby positively impact our watershed?

Goals will differ for every group depending upon individual interests. Following are examples of different types of goals that may apply to Hoosier Riverwatch volunteers (*modified from the GREEN Standard Water Monitoring Kit Manual*):

## **What are Your Environmental Goals?**

Volunteers will:

- become familiar with the river ecosystem;
- learn to recognize water quality problems and their sources;
- understand relationships between land use and water quality;
- make a responsible, action-oriented contribution toward protecting the river and watershed.

## **What are Your Community Goals?**

The community will:

- assist volunteers with water quality data collection;
- contribute resources such as maps, water quality testing equipment, computers for data entry;

Volunteers will:

- develop an awareness and responsibility to their watershed as an individual and as a community;
- communicate findings and the results of their actions to the community.

## **What are Your Educational Goals?**

Volunteers will:

- plan, implement and analyze a scientific investigation;
- develop field skills necessary for water quality testing;
- strengthen observational, analytical and problem-solving skills;
- compile and compare water quality data;
- use and integrate several disciplines (chemistry, biology, geography, language arts, math, etc.).

**Remember - no matter what your goal for monitoring, any water study must be founded on sound, scientific, and objective research!**

# *Planning a Water Study*

The final step in developing a water study design is actually planning the river or stream study. This involves choosing your sampling site(s), setting a sampling schedule and organizing your volunteers or students.

## **Site Selection**

Before you select one or more sites it's important to research, visit, and learn about your watershed, land uses, and potential sources of pollution. Selection of your sampling site(s) depend upon your individual goals and interests. If you are interested in the affects of agriculture on water quality, you may want to sample a stream with a primarily agricultural watershed. If you want to determine the affects of industrial discharge on stream water quality, you may choose to monitor at three points, one upstream (control site), immediately below the source, and one further downstream to gauge recovery. It's up to you to choose where you would like to monitor! If you need help choosing a spot, your county Soil and Water Conservation District may have some suggestions. A watershed management plan may be in development in your community. In addition, you can contact Hoosier Riverwatch for a list of sites requested by the Indiana Department of Environmental Management related to monitoring for their Total Maximum Daily Loads (TMDL) program.

***Each sampling site is a 200 foot stream segment!***

Each sampling site is a 200-foot stream segment. You should use local landmarks (bridges, trees) or survey tape to define the boundaries of your sampling site. You might also want to sketch your site (see page 26). You must also ensure safety by considering accessibility, water depth, and private property rights. See the Safety section (Chapter 1) of the Hoosier Riverwatch manual for these and other important safety considerations.

## **Sampling Schedule**

Finally, make a sampling schedule. Consider how many people will be monitoring, how many sites you or your group plan to sample, and whether sampling is feasible year-round (e.g., due to drought, ice cover). Think about the types of tests you will perform, the time requirements, and the goals you have set. Many Riverwatch groups monitor four times a year, but if sampling can only be done once or twice a year, it is preferable to do it in early spring and fall. You may also want to consider sampling at least once during or after a storm event to gauge impacts from stormwater runoff. A written schedule will help you organize yourself and/or your group. (*Write it in your planner!*)

## **Groups of Students or Adults**

Measurements can be taken by groups of 2-3 students or adults. Tasks within a group include collecting samples, processing samples, and recording data. It is very useful to have multiple groups testing for each parameter (for example, two groups measure dissolved oxygen). This allows more participants to get involved and builds in some quality control. Groups conducting the same test should compare results to determine if the data are similar. If there are different results for the same sample, group members should check the procedures and redo the test to determine what caused the difference. **Quality control is an important part of the science and the learning experience!**

# Quality Assurance and Quality Control

---

Many volunteers strive to obtain the best data possible. We think this is important, as YOU are one of the primary users of the data. The following are some suggestions on how you can improve the quality of your water monitoring data.

A quality assurance and quality control (QA/QC) plan can help ensure that test results are as accurate and precise as possible. Accuracy refers to how close a measurement is to the true value. Precision means the ability to obtain consistent results. Reliability in both accuracy and precision is achieved by:

- Collecting the water sample as directed
- Rinsing bottles and tubes with sample water *before* collecting the sample and with distilled water *after* completing the test
- Performing tests immediately after collecting the water sample
- Careful use and maintenance of testing equipment (check by using blanks and standards)
- Following the specific directions of a testing protocol exactly as described
- Repeating measurements to check for accuracy and to understand any sources of error
- Minimizing contamination of stock chemicals and testing equipment
- Storing kits away from heat and sunlight
- Checking expiration dates on chemicals and replacing them *before* they expire
- Checking to be sure the results submitted to the Hoosier Riverwatch database are the same as those recorded on the data sheets.

## Repeated Measurements

By repeating measurements, volunteers collect better data. Streams and rivers are variable. The water flowing past a point in the stream constantly changes. Taking multiple measurements and averaging the values captures some of the natural variation and provides a more representative result. In addition, taking more than one measurement reduces the chance of reporting incorrect data. If more than one person and/or testing kit are used, replicates provide an opportunity to test for both operator error and bad reagents. If one person obtains a value considerably different from another, repeat the test. If you are working with a group of student or adult volunteers, the purchase of a few additional items for chemical and biological monitoring (e.g., nets, color comparators) will improve efficiency in performing replicates.

However, given the cost of CHEMetrics ampoules and Water Works test strips and the low sensitivity of these methods, most Riverwatch volunteers will only perform each of these measurements one time.

## Standards, Blanks and Splits

A standard is a sample of known concentration. Standards can be purchased from Hach or other chemical companies. A blank is a sample run using distilled water. By testing standards and blanks, volunteers can check for bad reagents and equipment contamination. A split is one sample tested twice (for example, two nitrate tests performed out of the same bucket of water taken from a stream). Splits test for operator error, as both tests should yield the same result.

# ***A Few More Details Before We Get Started...***

---

## **Volunteer Monitoring Network**

There is no national volunteer water quality monitoring program, but many states have a statewide program with their own set of parameters and methods. Our neighboring states, Ohio, Illinois, Kentucky, and Wisconsin have statewide volunteer stream and river monitoring programs. However, Hoosier Riverwatch has many state and national partners with whom we collaborate; we are truly part of something bigger!

Hoosier Riverwatch is housed at the Natural Resources Education Center (NREC) at Fort Harrison State Park in Indianapolis. We share facilities and partner with the Indiana Department of Natural Resources' statewide education programs: Go FishIN, Project Learning Tree, Project WET (Water Education for Teachers), and Project WILD. In addition, we work closely with Earth Force, a national nonprofit organization, and we are helping to implement their GREEN (Global Rivers Environmental Education) program in Indiana schools. We are also a member of River Network and have contributed to the national River Rally conference for the past few years.

## **What You Can Expect From Hoosier Riverwatch**

What is Hoosier Riverwatch's role in our new partnership with you? Our primary responsibilities are to provide hands-on training, water monitoring equipment, ongoing technical support, ongoing information and education, and maintenance of the Online Volunteer Stream Monitoring Database. Our job is to empower you, to provide you, the volunteer, with help and support to monitor Indiana's water quality and to help you find solutions to problems.

## **Riverwatch Wouldn't Exist Without You**

You have the freedom to monitor whenever and wherever (with permission from private property owners, of course!) you chose. These decisions are guided by your reasons for monitoring. And remember, YOU are the primary user of the data you collect. It is possible that your data may be used by others (e.g., IN Dept. of Environmental Management, consultants, universities, local governmental agencies), but do not count on someone else "doing something" with your data. YOU will likely need to initiate action if you want to see solutions. However, the only way your data can be utilized by these entities is by submitting it to our Online Database (see Chapter 7) and registering your exact site location (latitude and longitude).

## **Preparation for Participation**

You're going to learn a lot of new information as you attend a Riverwatch training workshop or read through this training manual on your own. You may feel a little overwhelmed with new information at times. But, we guarantee that with some advanced preparation (e.g., planning, scheduling, budgeting/financing, networking, gaining permission, & possibly getting through a little red tape) and practice with the equipment and data sheets, any educator, community group, or interested citizen can really make a difference in Indiana by participating in this program.

**Take a deep breath & relax! You will be fine!  
SMILE - this stuff is fun!**

**We truly hope you will enjoy the training and information  
and will put what you learn into practice!**